

# REISOPACK 2903

END-OF-LINE [PACKAGING]  
REVOLUTIONIZE YOUR  
PERFORMANCE



Up to 60 Pallets/h



Strap at any height from 140 mm  
from the ground




Store up to 50 different strapping  
programs



Integrate into an automatic line or  
use as stand alone system



Intuitive Touch Screen Interface



# REISOPACK 2903

NONSTOP RESPONSIBLE  
NONSTOP RELIABLE  
NONSTOP INTELLIGENT  
NONSTOP PROGRESSIVE

## Reisopack 2903 Horizontal Fully Automatic Strapping Machine For the Fresh Produce Industry

The 2903 fully automatic machine is capable of strapping up to 60 pallets an hour, and can be used as a stand alone machine, or integrated into an existing line. Use the touch screen to store up to 10 different strap patterns, strapping from any height above 5" above the ground.

SCAN  
HERE

Want to see  
the  
Reisopack  
2903 in  
action? Use  
the QR code  
to learn  
more.



---

## TECHNICAL SPECIFICATIONS

---

### Performance

Production Rate: Up to 60 pallets/h (5 straps)

---

### Controls

Controls: Touch screen

---

### Electricity

Voltage: 440 - 480 V, 60 Hz, 3 Ph

Power: 2 kW

---

### Pneumatics

Air requirements: 6 atm

---

### Compression

Compression type: Electric Compression.

---

---

## OPTIONS

---

High speed version

---

CRC technology for repositioning corners

---

VPN access to machine software

